


DEEP IMPACT

Heavy Duty, Chlorinated
Foaming Degreaser

For Concrete, Stone and Ceramic Tile

DEEP IMPACT is a powerful, chlorinated, foaming degreaser formulated to dissolve and suspend grease, oil, industrial lubricants, automotive and aircraft fluids and the heaviest common and protein soils. No other cleaner works faster or more effectively to clean even the heaviest soils from concrete, ceramic tile, brick, and all natural and manufactured stone surfaces. Fortified with chlorine to brighten cement and grouting, **DEEP IMPACT** is recommended for use in lobbies, restaurants, institutional kitchens, food processing plants, restrooms, and manufacturing and work areas. **DEEP IMPACT** contains no abrasives, is fast-acting, non-flammable, and biodegradable.



DEEP IMPACT is recommended for use in lobbies, restaurants, institutional kitchens, food processing plants, restrooms, and manufacturing and work areas. **DEEP IMPACT** contains no abrasives, is fast-acting, non-flammable, and biodegradable.

APPLICATION & MAINTENANCE

Heavy Duty Degreasing Of Concrete Or Ceramic Tile: Dilute one part **DEEP IMPACT** with 10 parts water (12.8 ozs. per gallon). Apply diluted solution liberally with a plastic watering can or mop. Let the solution stand for approximately five minutes, then scrub the application area with a low speed buffing machine (175-350 Rpm) or automatic scrubber equipped with a scrubbing brush, or by hand with a deck brush. Pick the solution up with a wet vac or mop. Deep Impact is a foaming degreaser so a small amount of defoamer may need to be added to the recovery tank to reduce foaming. Flood rinse the cleaned area with clean water, then pick up the rinse water with a wet vacuum or automatic scrubber.

Routine Degreasing Or Cleaning: **DEEP IMPACT** may be used at a lower concentration of between 1 part Deep Impact to 64 parts water (2 ozs. per gallon) and 1 part Deep Impact to 16 parts water (8 ozs. per gallon) for routine degreasing or cleaning.

SPECIFICATIONS

| | |
|------------------------|------------------------------------------------------------|
| Active Ingredients | Alkaline detergents, builders, and grease-cutting solvents |
| pH | 13.0 - 14.0 |
| Free Ammonia | None |
| Free Alkali | <10% |
| Free Acid | None |
| Phosphates (Elemental) | 0.05% |
| Abrasives | None |
| Color | Straw |
| Odor | Detergent odor |
| Solubility in Water | 100% |
| Freeze/Thaw Stability | Minimum 3 cycles |
| Shelf Life | Minimum 1 year at room temperature |
| Flash Point | >250° F. |
| Weight Per Gallon | 9.3 |
| Biodegradable | Yes |
| Soil Suspension | Excellent |

SAFETY INFORMATION

| | |
|---------------------|---|
| Health | 2 |
| Flammability | 0 |
| Reactivity | 0 |
| Personal Protection | D |

NOTE: Wear rubber or plastic gloves, protective clothing, and safety glasses while using this product. **Do Not Mix With Other Chemicals.**

CAUTION: Contains strong alkaline detergents which cause chemical burns in undiluted concentrations. If ingested give vinegar, juice of lemon, grapefruit or orange freely. Follow with olive oil. **Do not induce vomiting.** In the event of skin contact flood the affected area with water for 15 minutes, rinse with vinegar, rinse with water again. For contact with eyes flood with clear water for 30 minutes. **Contact a physician immediately.** Contains Sodium Hydroxide CAS #1310-73-2. For detailed information consult MSDS sheet.



605 Springs Road, Bedford, MA 01730 USA
Tel: 978.667.5161, Fax: 978.670.5797
E-mail: Info@perma.com
www.perma.com